



TOWN OF BRIGHTON

139 NORTH MAIN * POST OFFICE BOX 277 * BRIGHTON, TENNESSEE 38011

BOARD OF MAYOR AND ALDERMEN MEETING

August 11, 2020

7:00 PM

CALL TO ORDER

The meeting was called to order by Mayor Sarah Crocker at 7:02p.m.

ROLL CALL

Present

Sarah Crocker, Mayor
Stephanie Chapman-Washam, Alderwoman
Shane Greer, Alderman
Kenny Hall, Alderman
George Smith, Alderman

Absent

Others Attending:

Tammy McKinney, Town Recorder
Johnathon Briles, Public Works Director
David Braden, Poplar Grove Utility
Jeremy Armstrong, Eckel & Associates
M.O. Eckel, Eckel & Associates
Ricky Russell, Brighton Fire Chief
Daniel Moore, Brighton Fire Dept
Aubrey Foreman, Brighton Public Works

Guests: Ann Blackmon, 164 Shady Lane, Brighton, TN; Charles Ennis, Grace Outreach; Regi McDow, Grace Outreach; Bill Reed, Grace Outreach; Brian Kellum, 1051 Shiloh Road, Covington, TN;

APPROVAL OF MINUTES

Minutes Approval: Regular Board of Mayor and Aldermen Meeting July 14, 2020

Alderman Hall made a motion to approve the minutes as written. The motion was seconded by Alderwoman Chapman-Washam. All approved. Motion carried.

FINANCIAL REPORT/PAYMENT OF BILLS

The financial report was presented. Alderwoman Chapman-Washam made a motion to approve the Town's bills as presented. The motion was seconded by Alderman Hall. All approved. Motion carried.

CITIZEN CONCERNS

Brian Kellum

Mr. Kellum is interested in leasing a building on Main Street to manufacture and sell furniture. It is currently zoned B-1. He will be welding some of this furniture. He wants to know if a B-1 Zone would approve welding. The Board of Mayor and Aldermen directed him to the Planning Commission which will meet on the 24th of August at 7:00pm. He agreed that he will complete a Site Plan Application for the Planning Commission.

Grace Outreach

Mr. Ennis recapped the total project again. Alderman Greer was the first to say that he wasn't comfortable with the Town of Brighton being involved. After much discussion, the Board of Mayor and Aldermen decided that no additional language could be added to the resolution and/or agreement that would convince them to be the "front person" on the grant application for their project. The Board wanted to make it clear that they aren't against the project coming to Brighton. However, they don't want the Town of Brighton being involved with any type of funding or responsibility.

DEPARTMENTAL REPORTS

Fire Department: Brighton Fire Chief presented the monthly status report. (See attached report).

Police Department: Mayor Crocker presented the monthly status report (see attached report).

Public Works: Mr. Foreman, Brighton Public Works, presented the monthly status report (see attached report).

Alderman Greer asked if Marbury Construction was going to fix the manhole (street is also dipping) at 520 Wylie. Mr. Braden said the street is part of the “punch list” for Marbury.

Aldermen Greer asked about the street lights. Mr. Foreman said they have been changed from Kenwood to Town Hall on Main Street. Public Works is waiting on more lights in order to finish.

Mayor Crocker asked Mr. Foreman if he called Shelby Electric about the red light. He said he has spoken to them about replacing the lights with LED lights. Mayor Crocker said she will forward Kamillah Kelly’s contact information to him. She works with TDOT. That entire intersection is included in a project so before we spend the money contact her.

Mr. Braden was given the floor.

Concerning #24 below, Mr. Braden found out prior to this meeting that Mr. Scott has some additional changes that he would like to make before signing. Mr. Armstrong, Eckel & Associates, spoke with Mr. Scott’s attorney today. Per their discussion, he will have something submitted to her tomorrow for approval.

Updates were addressed for the list of suggestions below:

1. Stop purchasing 5/8” x 3/4” water meters for about \$77.00/each and get quotes from different suppliers. (Also applies to all materials purchased.)
RESOLVED
2. Have all large water meters tested, calibrated, repaired, changed out, etc. Update: Purchase order has been issued for the 14 large meters.
RESOLVED
3. Set up a methodical water meter change out program instead of changing out all small water meters.
RESOLVED
4. Stop using private lab for quarterly wastewater sample and use Munford’s lab.
RESOLVED
5. Get Johnny Payne certified in Distribution, Collection and Backflow Prevention
RESOLVED
6. Evaluate the number of employees needed in the field.
RESOLVED
7. Direct employees to stock the shelves with materials needed for day to day operations and for repair purposes.
RESOLVED
8. Adopt SOP’s and Ordinances as soon as possible so that employees know how to operate the Town’s facilities and also know what you expect of them.
RESOLVED
9. All delivery tickets and purchase orders for materials and services must be signed off on by receiving employee and delivered to Town Hall before invoices are paid. (No ticket, no P.O. = No pay)
RESOLVED
10. Institute a chain of command and make every employee aware of it.
RESOLVED
11. Consider changing out the meters that have 1.0 million gallons usage.
RESOLVED
12. Johnny is preparing a list of potential sewer system infiltration sites. This list will be prioritized according to the volume of infiltration and the repairs will be made accordingly. **Update 02/09/16:**

Johnny is in the process of identifying potential infiltration sites and locating manholes. **Update 07/12/16:** Infiltration sites have been identified. With the low rainfall amounts during the summer, this is a relatively low priority at this time. Johnny is prepared to address these sites before September 15th.

13. The Town has at least one company that has been given permission in the past to use the Town's hydrants to fill tanks.
RESOLVED
14. Johnny has started organizing all water and sewer records in an orderly fashion.
RESOLVED
15. All deficiencies noted in the last Water System Sanitary Survey have been addressed and corrected.
RESOLVED
16. Johnny and I have started working on updating the Sampling Plan to bring it into compliance with EPA's new Coliform Monitoring Rule.
RESOLVED
17. The town has to have a Drought Management Plan approved and submitted to TDEC by June 30th 2017. David Braden was verbally given approval to begin this plan.
RESOLVED
18. Apparently both pressure reducing valves at the master meter are not operating properly from time to time.
RESOLVED
19. The State Revolving Fund Loan has approved the Town for funding to replace the old asbestos cement pipe. This loan will be for \$698,400.00, paid back over 20 years at an interest rate of 0.19%. They are requesting a resolution from the Town to authorize them to undertake the rate study.
RESOLVED
20. The Town's Water Supply Contract with Poplar Grove Utility District will expire in October 2017.
RESOLVED
21. The Town is required by TDEC regulation to have its elevated water tanks inspected every 5 years by a qualified person.
RESOLVED
22. The Town's Water & Sewer System is under an order from the State's Water and Wastewater Financing Board to improve its financial standing.
RESOLVED
23. The Tipton County School System has requested to connect to the Town's sewer system. In order to do this, some improvements to the Town's existing sewer system are required.
RESOLVED
24. The Town has recently experienced problems with the High School and Dale Smith Pump Stations. We believe that most of the problems are related to the lack of maintenance of the high school's and middle school's septic tanks. KEC and I have prepared a finding report and a suggested preventative maintenance program for the school's septic tanks and all pump stations. I recommend that the Mayor and the Board adopt this plan. **Update 12/10/19:** Upon recommendation of KEC, Public Works has begun having the schools' septic tanks and the three main pump stations (Southwest, High School and Dale Smith) cleaned semi-annually. At this time, this program appears to be working by controlling the volume of wet wipes. Mr. Briles, Mr. Foreman and I will continue to monitor this program and make regular reports back to the Mayor and Board. **Update 01/14/2020:** Approximately one week after the new pump was installed at the Dale Smith Pump Station, Public Works employees noticed that the intake screen was beginning to be clogged with wet wipes. The pump was immediately shut down and the intake screen was cleaned by Mid-South Septic. Because of this problem, Public Works entire staff, Ken King, Alex Somboona and I met at the station on Wednesday, January 8th to evaluate the problem and discuss solutions. After input from everyone, it was determined that the best resolution

is a 5,000 gallon septic tank that all wastewater flows into before it goes to the Dale Smith Wetwell where the pumps are located. To test the effectiveness of this potential solution, it was determined that by installing an elevated outlet pipe with a screen on it in the existing manhole just prior to the Wetwell could indicate whether this would work or not. Public Works is currently waiting on quotes for the installation of this pipe. KEC has prepared a report which you have before you tonight. **Update 02/11/2020:** The elevated pipe was installed in the manhole and is highly effective in keeping solids from entering the Dale Smith Wetwell. It has been determined that 2-2,000 gallon septic tanks placed in series will be the most effective, permanent solution to contain the solids. KEC is drafting plans for the septic tanks and is in communication with TDOT concerning the placement of these tanks. **Update 03/10/2020:** Events over the past month have indicated that the installation of the septic tanks ahead of the Dale Smith Pump Station Wetwell are most definitely needed. Several options are being explored as to the best placement of these tanks. **Update 06/09/2020:** Bids have been taken for the installation of septic tanks. The low bidder is W & T Contracting Corp. Public Works is requesting that the Board approve these bids and award the contract tonight. We are anticipating that the easement from Mr. David Scott will be secured very soon, allowing the project to go forward. **Update 07/14/2020:** W & T Contracting Corp. has agreed to keep their bid good until July 31st in anticipation of the secured easement from Mr. Scott. Mr. Scott wants his attorney to consult with Mr. Eckel before Mr. Scott signs the easement. **Update 08/11/2020:** Mr. Scott's requested changes to the easement have been made and the revised easement has been submitted to Mr. Scott and the Town's attorney. W & T Contracting has agreed to extend their bid until August 15th.

25. Mr. Chlarson has evaluated the drainage problems in Town and is compiling a list. Mr. Ronnie Neill is prepared to assist the Town in the creation of a Storm Water Utility to fund the needed repairs. **Update 02/13/18:** Mr. Chlarson has advised me that he is developing a cost estimate to repair the drainage problems and that this cost estimate should be available to the Town within the next 30-45 days. **Update 03/13/18:** Mr. Chlarson's report and cost estimate has been delivered to the Town. This report only includes the drainage structures that are failing. The Town should seriously consider replacing all the CMP in the areas where the failures are currently occurring. Also, I'm not sure whether Mr. Neill has given the Town a proposal for the Storm Water Ordinance. **Update 04/10/18:** Bids for the CCTV part of the project will be received at 2:00pm on Friday April 13th. Currently there are seven contractors that have picked up plans and specifications. **Update 05/08/18:** Bids were received on April 13th for the CCTV part of the project with Mid South Septic being the low bidder at a Base Bid of \$21,752.00. Their bid for the Additive Alternate is \$43,789.50 in case additional scoping is required at McLister and Carrington. **Update 06/12/18:** Some scoping of the drainage systems has occurred, but no reports have been delivered to the Town or KEC. KEC has requested these reports on two different occasions. McLister and Carrington appear to have catch basin problems with the drain pipes being sound. Woodlawn appears to have terrible pipe failures. **Update 07/09/18:** No reports from Mid-South have been delivered to the Town or KEC and no payment has been made to Mid-South. **Update 08/14/18:** No reports have been received from Mid-South, nor has any payment been made to them. Mr. Ault has assured KEC that they have acquired a new camera and will be back on the job soon. **Update 09/11/18:** The reports and videos have been received from Mid-South. KEC has done some spot, site visits to also determine the degree of rust deterioration of the pipes. These spot checks coupled with the video indicate that rather than pipe replacement, Cured-in-Place Pipe coating procedure should be seriously considered by the Board. KEC also believes that the inlet structures can be repaired using an injection process called Polyurethane Pour-in-Place system. Both of these processes are proven methods that require much less disruption to yards and streets. Also at this point, it is my opinion that the Town should start looking at financing options since any grant funding appears unavailable. **Update 04/09/19:** As everyone is aware, Ms. Mattie Cushman has secured an Imminent Threat Grant for Marshall Road and other severe drainage problems in hopes of following up with a similar grant through normal channels in order to repair all Town drainage problems. This IT grant

consist of \$315,000.00 in grant and a matching local funding of \$35,041.00. This is obviously excellent news for the Town. **Update 05/14/2019** – Johnathon has secured the easements for the MarsThey instead paved over the concrete hall Road portion of the project. Securing the one for Wylie Drive has encountered a snag with the property owner requesting \$1,800 for this easement. Mr. Eckel is researching to see if the acquisition of this easement is actually necessary. **Update 08/13/19:** The bid date for the Imminent Threat portion of the project is scheduled for Thursday, August 15th. **Update 09/10/19** – As we are all aware, the bid for the West Oaklawn culvert replacement was extremely high and TCPW has agreed to do the culvert replacement with the Town handling the paving repair and guardrail installation. Also, we are waiting on the State to allow the Town to enter into negotiations with the bidder for the remainder of the bid project to determine how many repairs can be done with the subdivision. **Update 10/08/19** – On West Oaklawn (Marshall Road), the water main has been replaced allowing TCPW the needed space to replace the culvert. Tomorrow at 2:00pm, the Town will be opening the mini rebid packet from Mr. Marbury. The Town has been awarded a second grant for the drainage repairs in the amount of \$244,000.00 with a local match of \$34,081.00. It is anticipated that most if not all the drainage repairs can be made with both grants if the bidding process is very competitive and the repairs can be done during the dry, summer months. **Update 11/2/2019** – The West Oaklawn culvert has been replaced and Public Works is maintaining the gravel until the paving can be done. The mini bid process was successful and contract documents have been sent to the contractor. With this IT Grant money as many of the inlets will be repaired as possible with the contractor being paid on a per pound basis. **Update 01/14/2020:** KEC has prepared a report that you have before you tonight. A summary of this report is that the spacing between 254 Woodshire and the next door neighbor's home is too close to allow for pipe replacement therefore, Cured In Place Pipe appears to be the only viable option for making the repair. **Update 03/10/2020:** Of the 21 inlets on the plan for repair, 15 have been repaired to date. Also after reviewing the CCTV footage, Mr. Mike Woodcock with Portland Utilities Construction Company says that the CIPP will solve the problem with the drainage pipe at 254 Woodshire Lane. Community Development Partners is preparing the easements for 254 & 230 Woodshire for the replacement of the inadequate junction manhole in their back yards. **Update 06/09/2020:** The 21 inlets shown on the plan have all been repaired. The easements at 254 & 230 Woodshire have both been secured allowing the Town to move forward with this repair. KEC has sent these plans and specs to CDP for their review before they go to E & CD (the State). Marbury Construction Company has stated that they will be at 520 Wiley Drive to make that repair in late June/early July. **Update 07/14/20:** Marbury Construction Company has begun work at 520 Wylie Drive. The street should be reopened for traffic by Friday, July 10th. We are still awaiting the approval of plans by E & CD for the work at 230 & 254 Woodshire. KEC has inquired as to the date of approval plans but has not received an answer. **Update 08/11/20:** The construction at 520 Wylie has been completed. Bids were taken on Thursday the 6th for the repairs at 230 & 254 Woodshire with the bids for Cured In Place Pipe being less expensive than digging and replacing the pipe. The resolution is on the agenda tonight.

26. I think that the Town desires to resolve the issue of the old car tires on the Fosters' property. In an attempt to help resolve this matter, I have received information from Mr. Leland Harris at TDEC that the State may have some grant money for such cleanup project. I am currently making contact with TDEC's Nashville office to learn more about this program. **Update 07/09/18:** Mr. Bob Fletcher with TDEC has contacted me, requesting location information for the Foster property which I have provided. I expect that a site visit will be made by TDEC within the next 30-45 days. **Update 08/14/18:** On Monday, July 30th, TDEC conducted an on-site inspection of the Foster property after a meeting chaired by County Executive Jeff Huffman. The findings of that meeting and site visit are in TDEC's MEMO dated August 2nd, 2018.
27. The Town's Water System does not have an up to date Emergency Operation Plan as required by TDEC (the health department). The proposed plan that you have before you tonight has been developed using

TAUD's template. I would ask that you consider the adopting of it at this time.

RESOLVED

28. The Town has been directed by its insurance carrier to develop a Sewer Backup Prevention Program. I have completed the first draft and submitted it to Mr. Briles for his input and review before sending it to Town Attorney Eckel. I also have copies to distribute to the Mayor and Board tonight if anyone desires one. **Update 07/14/20** – In an email dated June 18th, Mr. Eckel states that the proposed Sewer Backup Prevention Program is in order. It appears that this program is ready to be adopted by the Board and implemented in Public Works.

RESOLVED

29. In our efforts to resolve #24, it has been discovered that an active, ongoing septic tank pumping program may be necessary to completely resolve the problem of solids in the Town's main pumping stations. Sometime in the near future, KEC, Mr. Briles and I will probably be making recommendations as to implementing this maintenance program. **Update 02/11/2020:** If the installation of the septic tanks before the Dale Smith Pump Station is effective, this ongoing maintenance program may need to focus more on the monitoring of the solids' level in each septic tank allowing this monitoring program to dictate when each tank should be pumped.

Resolutions No. 08112020-01 and No. 08112020-02 were presented to the Board of Mayor and Aldermen. These resolutions are approving contract award of Storm Water System Restoration, Phase Two, 2019 Community Development Block Grant. **After a brief discussion, Alderman Greer made a motion to approve Resolution No. 08112020-02 as presented. Alderwoman Chapman-Washam seconded the motion. All approved. Motion carried.**

Parks Department

None

Planning Commission

Minutes from the Planning Commission Meeting held on July 27, 2020, was included in the packet.

Alderman Hall made a motion to approve Alderman Greer to the Planning Commission Committee. The motion was seconded by Alderwoman Chapman-Washam. All approved. Motion carried.

OLD BUSINESS

Alderman Greer questioned the motion made last month to add 3% across the board for employee raises to the budget. He stated there was not "movement". Where did the money come from? Alderman Hall said the motion was made to add 3% to each department's salary line. He continued by saying the revenues supported the 3% raise.

NEW BUSINESS

Illinois Central Railroad Company Lease

The Illinois Central Railroad Company Lease Renewal was presented to the Board of Mayor and Aldermen. **Alderman Chapman-Washam made a motion to approve the lease as presented. Alderman Greer seconded the motion. All approved. Motion passed.**

Ordinance

An Ordinance to establish a method of providing temporary water and sewer service to structures in the Town of Brighton was presented to the Board of Mayor and Aldermen. This ordinance was not included in the packet because Ms. McKinney received it late today. There was discussion about the forms being used that are included in this ordinance. **Alderman Hall made a motion to approve the First Reading of this ordinance pending the discussed changes. Alderman Chapman-Washam seconded the motion. All approved. Motion passed.**

88 Tanner Lane

The office staff recently discovered that 88 Tanner Lane has never been billed for sewer service since opening the account in 2009. A spreadsheet showing the missing revenue was presented. The Board of Mayor and Aldermen verbally agreed to go back 3 years to recoup that missing revenue. The error has since been corrected on his utility bill. Ms. McKinney will mail a letter to the property owner tomorrow explaining the situation.

MISCELLANEOUS COMMENTS FROM THE BOARD OF MAYOR AND ALDERMEN

None

ADJOURNMENT

Alderman Hall made a motion to adjourn the meeting. The motion was seconded by Alderman Chapman-Washam. All approved. Motion carried. The meeting adjourned at 8:45pm.

Sarah Crocker, Mayor

Tammy McKinney, Town Recorder