

ORDINANCE NUMBER 052903

AN ORDINANCE TO AMEND ORDINANCE 10-300, RELATIVE TO THE SEWER USE ORDINANCE OF THE TOWN OF BRIGHTON, TENNESSEE.

WHEREAS, the Board of Mayor and Aldermen of the Town of Brighton have determined that adjustments need to be made to the Sewer Use Ordinance; and

WHEREAS, the Board wishes to set limits on certain maximum concentrations allowed in the influent at the waste water treatment plant; and

WHEREAS, it has been recommended to the Board that certain levels be established for "BOD", "Suspended Solids", and "COD" influent;

NOW, THEREFORE BE IT ORDAINED BY THE BOARD OF MAYOR AND ALDERMEN OF THE TOWN OF BRIGHTON, TENNESSEE, that:

Section 1. Section 6 of Ordinance Number 10-300, Sewer Use Ordinance, is amended by adding the following limits on influent to Table B, Plant Protection Criteria:

<u>Constituent</u>	<u>Concentration (mg/l)</u>
BOD	250
Suspended Solids	250
COD	500


Section 2. Table B, Plant Protection Criteria, in Ordinance 10-300 is amended to strike the words "not to exceed the design capacity of treatment works".


Section 3. This ordinance shall take effect after its passage, the public welfare requiring it.

First Reading May 29, 2003

Second Reading June 10, 2003

Third Reading July 8, 2003

  
\_\_\_\_\_  
Mayor

  
\_\_\_\_\_  
Recorder