

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
<b>LAWSON ELEMENTARY SCHOOL</b> 1105 FAIRGROUNDS RD JEFFERSON CITY, MO 65109 Occurred ROUTINE 03/09/23 INSPECTION	Description  OBSERVED: Gaskets in disrepair on the reach in cooler	Status  CORE
<b>SOUTH ELEMENTARY SCHOOL</b> 707 LINDEN DR JEFFERSON CITY, MO 65109 Occurred ROUTINE 03/14/23 INSPECTION 0	Description  No Violations Cited	Status
<b>SAINT JOSEPH ELEMENTARY SCHOOL</b> 2303 W MAIN ST JEFFERSON CITY, MO 65109 Occurred ROUTINE 03/21/23 INSPECTION 0	Description  No Violations Cited	Status
<b>SAINT PETERS ELEMENTARY SCHOOL</b> 314 W HIGH ST JEFFERSON CITY, MO 65101 Occurred ROUTINE 03/16/23 INSPECTION 0	Description  No Violations Cited	Status
<b>TRINITY LUTHERAN ELEMENTARY SCHOOL</b> 803 SWIFTS HWY JEFFERSON CITY, MO 65109 Occurred ROUTINE 03/08/23 INSPECTION 0	Description  No Violations Cited	Status
<b>ARRIS PIZZA PALACE</b> 117 W HIGH ST JEFFERSON CITY, MO 65101 Occurred ROUTINE 03/28/23 INSPECTION	Description  OBSERVED: ceiling tile has dust accumulation next to vents. OBSERVED: hand wash soap not present in employee bathroom. OBSERVED: cleaning chemicals stored on shelf above food preparation floor mixer. Corrected at Time of Inspection.	Status  CORE  PRIORITY

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
<b>BREAK TIME #3044</b> 3000 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 03/27/23	
	OBSERVED: public toilet dirty; no paper towels in dispenser at hand sinks	CORE
	OBSERVED: Dr Pepper cooler running above 41 F, at 48-50 F	CORE
	OBSERVED: several soda heads soiled [Dr Pepper, Pepsi]	CORE
	OBSERVED: clean and organize refund area, floor and sink	CORE
	OBSERVED: water did not reach 100 F when tested at sinks	CORE
<b>BREAK TIME #3050</b> 1907 E MCCARTY ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 03/28/23	
	OBSERVED: donuts supplied by outside store source need contact info [as well as ingredients] provided to consumers	CORE
<b>CONVENIENT FOOD MART</b> 701 EASTLAND DR JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 03/16/23	
	OBSERVED: Equipment with debris present	CORE
<b>DOMINO'S PIZZA</b> 3732 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 03/03/23	
	OBSERVED: Cold holding unit not at the proper temperature. CORRECTED ON SITE	PRIORITY
	OBSERVED: No self-closing device on the service window	CORE
<b>EL JIMADOR INC</b> 1410 MISSOURI BLVD X JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 03/22/23	
	OBSERVED: scraping sink at dish machine has leaks at open seams	CORE
	OBSERVED: clean floor under grills of food debris	CORE
	OBSERVED: exterior siding of walk in cooler is deteriorating, continue with planned covering with metal panels	
	OBSERVED: storage shed interior needs cleaning and organizing of food separate from maintenance and storage items	CORE
	OBSERVED: some tupperware food containers are badly torn/ chipped and need replacement	CORE
<b>JC MART</b> 105 W DUNKLIN ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 03/20/23	
	OBSERVED: Maintenance needed in areas of the store	CORE

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
<b>JEFFERSON CITY DAIRY QUEEN GRILL N CHILL</b> 2114 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/29/23	Occurred Description	Status
	OBSERVED: top and corner of Coffin freezer is chipped and holds food debris; some tong handles cracked/ missing covering at heat resistant covering	CORE
<b>PAPA JOHNS PIZZA USA, INC</b> 2103 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/07/23	Occurred Description	Status
	OBSERVED: Bathroom has debris present on the fixtures and floor OBSERVED: Accumulation of cigarette debris present at the back door and general area. OBSERVED: Inside of the reach in cooler had debris present OBSERVED: No handwashing sign present at the hand sink.	CORE CORE CORE CORE
<b>SCHULTES FRESH FOODS--GROCERY</b> 1904 SOUTHWEST BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/31/23 0	Occurred Description	Status
	No Violations Cited	
<b>SUBWAY SUPERCENTER</b> 401 SUPERCENTER DR JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 03/06/23	Occurred Description	Status
	OBSERVED: Cutting boards in disrepair	CORE
<b>THE GRAND CAFE LLC</b> 107 E HIGH ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 03/28/23	Occurred Description	Status
	OBSERVED: Holes present in the wall at the drink station	CORE
<b>WALGREENS #3017</b> 2002 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/16/23 0	Occurred Description	Status
	No Violations Cited	
<b>YO YUMS</b> 122 E HIGH ST X JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 03/23/23	Occurred Description	Status
	OBSERVED: unisex bathroom does not have covered trash container. OBSERVED: single use containers stored on floor in boxes by back door. OBSERVED: handwashing soap not present at back hand sink.	CORE CORE CORE

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
<b>SHOW ME CHILD CARE CENTER FOOD SERVICE</b> 2702 E MCCARTY ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 03/02/23 0	Description  No Violations Cited	Status
<b>WAL-MART SUPERCENTER #29 BAKERY</b> 724 W STADIUM BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/22/23	Description  OBSERVED: Equipment in disrepair	Status  CORE
<b>YANIS COFFEE ZONE</b> 130 E HIGH ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 03/14/23	Description  OBSERVED: lids of basement freezers coming apart, highly taped OBSERVED: smoothie cooler running above 41 F, at 55 F [sealed juice only] OBSERVED: sub-milk cooler running above 41 F, at 45-48 F  Both have planned replacements coming	Status  CORE CORE
<b>CLARKE SENIOR CENTER</b> 1310 LINDEN DR JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/24/23	Description  OBSERVED: dish machine not sanitizing chemically CORRECTED ON SITE: dish machine drain clogged by spoons; sanitizer hose not in chemical bucket; Corrected by manager OBSERVED: slicer left with food debris present on blade CORRECTED ON SITE: slicer was cleaned and sanitized by manager	Status  PRIORITY
<b>CROSSMARK INSIDE SAM'S CLUB #6505</b> 849 STONERIDGE PKWY JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/27/23 0	Description  No Violations Cited	Status
<b>THE PIZZA COMPANY</b> 1508 E MCCARTY ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 03/29/23	Description  OBSERVED: paper towel holder missing at side [salad bar] hand wash sinks	Status  CORE
<b>MISSOURI FARM BUREAU</b> 701 S COUNTRY CLUB DR JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 03/20/23	Description  OBSERVED: manual can opener in poor condition/ repair	Status  CORE

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address  
**CAPITAL CITY HIGH SCHOOL**  
**1650 CAVALIER DR**  
**JEFFERSON CITY, MO 65109**

Description

ROUTINE INSPECTION  
 Occurred 03/15/23

Description  
 Status  
 OBSERVED: Maintenance needed in the floor drains. CORE

**THE CURRY N GRILL**  
**512 ELLIS BLVD STE U**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION  
 Occurred 03/28/23

Description  
 Status  
 OBSERVED: Items not elevated in the storage areas PRIORITY  
 OBSERVED: Items were not properly date labeled PRIORITY

**STRIKERS**  
**2017 CHRISTY DR**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION  
 Occurred 03/28/23

Description  
 Status  
 OBSERVED: hood filters becoming soiled CORE

**PIZZA HUT**  
**517 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION  
 Occurred 03/23/23

Description  
 Status  
 OBSERVED: Debris present on the vent hood CORE

**EL POBLANO GRILL**  
**1850 RT C STE D**  
**JEFFERSON CITY, MO 65109**

ROUTINE INSPECTION  
 Occurred 03/24/23

Description  
 Status  
 OBSERVED: Personal items stored in the food storage area PRIORITY  
 OBSERVED: Debris present in certain areas of the food prep area. PRIORITY  
 OBSERVED: Debris present on the floors and around the water heater CORE  
 OBSERVED: Equipment with debris present